



# CUTTING TOOLS



**NEW**

## PRICE LIST

With Effective From : 25-02-2026



# INDEX

## CARBIDE DRILLS

---

- DRILL – HRC55 – 2 FLUTE 3-7
- SPOT DRILL (90°) – HRC55 – 2 FLUTE 13

## SQUARE ENDMILLS

---

- HRC45 – 4 FLUTE 8
- HRC55 – 4 FLUTE 9-10
- HRC65 – 4 FLUTE 11

## BALLNOSE ENDMILLS

---

- HRC45 – 2 FLUTE 14
- HRC55 – 2 FLUTE 15
- HRC55 – 4 FLUTE 16

## LONG NECK ENDMILLS

---

- HRC55 – 2 FLUTE 12
- HRC55 – 4 FLUTE 12

## KEY WAY ENDMILLS

---

- KEY WAY ENDMILL - HRC55 – 2 FLUTE 12

## UNCOATED ENDMILLS


---

- ALUMINIUM ENDMILL - HRC55 – 3 FLUTE 13

## INDEXABLE TOOLING

---

- INDEXABLE ENDMILL (APMT / RPMT) 17
- FACE MILL CUTTER (APMT / RPMT) 17
- U-DRILL (SPMG) 18-19



## SOLID CARBIDE DRILL

### HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
0.5	12	0.5	34	505
0.6	12	0.6	34	505
0.7	12	0.7	34	505
0.8	12	0.8	34	505
0.9	12	0.9	34	505
1	20	1	40	505
1	12	1	49	505
1.1	12	1.1	49	505
1.2	12	1.2	49	505
1.3	20	1.3	40	505
1.3	12	1.3	49	505
1.4	20	1.4	40	505
1.4	12	1.4	49	505
1.5	18	1.5	40	505
1.5	20	1.5	40	530
1.6	18	1.6	40	505
1.6	20	1.6	40	530
1.7	18	1.7	40	505
1.8	18	1.8	40	505
1.8	20	1.8	40	530
1.9	18	1.9	40	505
2	20	2	40	505
2	24	2	49	530
2.1	30	2.1	57	560
2.2	30	2.2	57	560
2.3	25	2.3	50	530
2.3	30	2.3	57	560
2.4	30	2.4	57	560
2.5	25	2.5	50	530
2.5	30	2.5	57	560
2.6	35	2.6	65	610
2.7	25	2.7	50	530
2.7	35	2.7	65	610
2.8	25	2.8	50	530
2.8	35	2.8	65	610
2.9	35	2.9	65	610
3	25	3	50	580
3	35	3	65	610

CONT...



HRC55 (2F)  
SOLID CARBIDE DRILL

## SOLID CARBIDE DRILL HRC55 (2 FLUTE)



HRC55 (2F)  
SOLID CARBIDE DRILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
3.1	35	3.1	65	890
3.2	25	3.2	50	850
3.2	35	3.2	65	890
3.3	35	3.3	65	890
3.3	40	3.3	75	1035
3.3	50	3.3	100	1140
3.4	35	3.4	65	890
3.5	25	3.5	50	850
3.5	35	3.5	65	890
3.6	25	3.6	50	850
3.6	35	3.6	65	890
3.7	35	3.7	65	890
3.8	25	3.8	50	850
3.8	35	3.8	65	890
3.9	35	3.9	65	890
4	25	4	50	850
4	35	4	65	890
4.1	40	4.1	75	1480
4.2	40	4.2	75	1480
4.3	40	4.3	75	1480
4.3	50	4.3	100	1740
4.4	40	4.4	75	1480
4.4	50	4.4	100	1740
4.5	40	4.5	75	1480
4.5	50	4.5	100	1740
4.6	40	4.6	75	1480
4.6	50	4.6	100	1740
4.7	40	4.7	75	1480
4.8	40	4.8	75	1480
4.9	40	4.9	75	1480
5	40	5	75	1480
5	50	5	100	1740
5.1	40	5.1	75	1995
5.1	50	5.1	100	2310
5.2	40	5.2	75	1995
5.2	50	5.2	100	2310
5.3	40	5.3	75	1995
5.4	40	5.4	75	1995

CONT...

## SOLID CARBIDE DRILL

### HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
5.5	40	5.5	75	1995
5.5	50	5.5	100	2310
5.6	40	5.6	75	1995
5.6	50	5.6	100	2310
5.7	40	5.7	75	1995
5.8	40	5.8	75	1995
5.8	50	5.8	100	2310
5.9	40	5.9	75	1995
6	40	6	75	1995
6	50	6	100	2310
6.1	60	6.1	100	3365
6.2	50	6.2	100	3285
6.2	60	6.2	100	3365
6.3	50	6.3	100	3285
6.3	60	6.3	100	3365
6.4	60	6.4	100	3365
6.5	60	6.5	100	3365
6.6	60	6.6	100	3365
6.7	60	6.7	100	3365
6.8	50	6.8	100	3285
6.8	60	6.8	100	3365
6.9	50	6.9	100	3285
6.9	60	6.9	100	3365
7	50	7	100	3285
7	60	7	100	3365
7.1	50	7.1	100	4105
7.1	60	7.1	100	4220
7.2	50	7.2	100	4105
7.2	60	7.2	100	4220
7.3	50	7.3	100	4105
7.3	60	7.3	100	4220
7.4	60	7.4	100	4220
7.5	60	7.5	100	4220
7.6	50	7.6	100	4105
7.6	60	7.6	100	4220
7.7	60	7.7	100	4220
7.8	50	7.8	100	4105
7.8	60	7.8	100	4220

CONT...



HRC55 (2F)  
SOLID CARBIDE DRILL

## SOLID CARBIDE DRILL HRC55 (2 FLUTE)



HRC55 (2F)  
SOLID CARBIDE DRILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
7.9	60	7.9	100	4220
8	50	8	100	4105
8	60	8	110	4220
8.1	60	8.1	110	5060
8.2	60	8.2	110	5060
8.3	60	8.3	110	5060
8.4	50	8.4	100	4930
8.4	60	8.4	110	5060
8.5	50	8.5	80	4150
8.5	60	8.5	110	5060
8.6	50	8.6	100	4930
8.6	60	8.6	110	5060
8.7	50	8.7	100	4930
8.7	60	8.7	110	5060
8.8	50	8.8	100	4930
8.8	60	8.8	110	5060
8.9	50	8.9	100	4930
8.9	60	8.9	110	5060
9	50	9	100	4930
9	60	9	110	5060
9.1	50	9.1	100	6215
9.1	60	9.1	110	6365
9.2	50	9.2	100	6215
9.2	60	9.2	110	6365
9.3	60	9.3	110	6365
9.4	60	9.4	110	6365
9.5	50	9.5	100	6215
9.5	60	9.5	110	6365
9.6	60	9.6	110	6365
9.7	50	9.7	100	6215
9.7	60	9.7	110	6365
9.8	50	9.8	100	6215
9.8	60	9.8	110	6365
9.9	60	9.9	110	6365
10	50	10	100	6215
10	65	10	110	6365
10.1	65	10.1	110	7555
10.2	50	10.2	100	7390
10.2	65	10.2	110	7555

CONT...

## SOLID CARBIDE DRILL

### HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
10.3	50	10.3	100	7390
10.3	65	10.3	110	7555
10.4	50	10.4	100	7390
10.4	65	10.4	110	7555
10.5	65	10.5	110	7555
10.6	50	10.6	100	7390
10.6	65	10.6	110	7555
10.7	50	10.7	100	7390
10.7	65	10.7	110	7555
10.8	65	10.8	110	7555
10.9	50	10.9	100	7390
10.9	65	10.9	110	7555
11	65	11	110	7555
11.1	50	11.1	100	7950
11.1	65	11.1	110	8120
11.2	50	11.2	100	7950
11.2	65	11.2	110	8120
11.5	50	11.5	100	7950
11.5	65	11.5	110	8120
12	65	12	110	8820
12.1	50	12.1	100	10075
12.1	65	12.1	110	10240
12.2	50	12.2	100	10075
12.2	65	12.2	110	10240
12.3	65	12.3	110	10240
12.4	50	12.4	100	10075
12.4	65	12.4	110	10240
12.5	65	12.5	110	10240
12.6	65	12.6	110	10240
12.7	50	12.7	100	10075
12.7	65	12.7	110	10240
12.8	65	12.8	110	10240
12.9	50	12.9	100	10075
12.9	65	12.9	110	10240
13	65	13	110	10240
13.5	50	13.5	100	12430
13.5	65	13.5	110	12880
14	50	14	100	12430
14	65	14	110	12880



HRC55 (2F)  
SOLID CARBIDE DRILL

## SOLID CARBIDE SQUARE ENDMILL HRC45 (4 FLUTE)



HRC45 (4F)  
CARBIDE SQUARE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	410
1.5	4	4	50	410
2	5	4	50	410
2.5	7	4	50	410
3	8	3	50	410
3	8	4	50	410
3	12	3	75	645
3	15	3	100	920
3.5	10	4	50	410
4	10	4	50	410
4	16	4	75	645
4	20	4	100	920
4.5	12	6	50	765
5	13	5	50	775
5	20	5	75	1280
5	30	5	100	1530
6	15	6	50	775
6	25	6	75	1280
6	30	6	100	1530
6	45	6	150	2865
8	20	8	60	1495
8	28	8	75	2060
8	35	8	100	2565
8	50	8	150	4805
10	25	10	75	2820
10	40	10	100	3940
10	50	10	150	6485
10	65	10	200	8925
12	30	12	75	4025
12	45	12	100	5520
12	60	12	150	8705
12	70	12	200	12820
14	45	14	100	7670
14	60	14	150	16100
16	45	16	100	9815
16	60	16	150	16025
18	45	18	100	12235
18	70	18	150	22080
20	45	20	100	15090
20	70	20	150	22450

## SOLID CARBIDE SQUARE ENDMILL HRC55 (4 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	510
1.5	5	4	50	510
2	6	4	50	510
2.5	8	4	50	510
3	9	3	50	510
3	9	4	50	510
3	9	6	50	1200
3	25	3	75	805
3	40	3	100	1150
3.5	11	4	50	510
4	12	4	50	510
4	12	6	50	1200
4	25	4	75	805
4	40	4	100	1150
4.5	15	6	50	955
5	13	5	50	970
5	13	6	50	920
5	24	5	75	1605
5	45	5	100	1915
6	15	6	50	970
6	24	6	75	1605
6	45	6	100	1915
6	50	6	150	3575
7	24	7	60	2735
7	28	7	100	3870
7	50	7	150	5240
8	24	8	60	1870
8	28	8	75	2575
8	45	8	100	3210
8	50	8	150	6010
9	25	9	60	4080
9	30	9	100	5880
9	50	9	150	8050
10	25	10	75	3525
10	50	10	100	4920
10	60	10	150	8105
10	65	10	200	11155
12	30	12	75	5030
12	50	12	100	6900
12	60	12	150	10880
12	70	12	200	16025

CONT...



HRC55 (4F)  
CARBIDE SQUARE ENDMILL

## SOLID CARBIDE SQUARE ENDMILL HRC55 (4 FLUTE)



HRC55 (4F)  
CARBIDE SQUARE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
13	45	13	100	12075
13	70	13	150	19205
14	45	14	100	9590
14	70	14	150	20125
16	45	16	100	12270
16	80	16	150	20035
16	85	16	200	28620
17	45	17	100	20700
18	45	18	100	15295
18	80	18	150	27600
20	45	20	100	18860
20	80	20	150	28060
20	90	20	200	41205

# CUTTING TOOLS

## SOLID CARBIDE SQUARE ENDMILL HRC65 (4 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	950
1.5	4.5	4	50	950
2	6	4	50	950
2.5	7.5	4	50	950
3	9	3	50	950
3	12	3	75	1265
3	25	3	100	1460
4	12	4	50	950
4	15	4	75	1265
4	25	4	100	1460
5	13	5	50	1660
5	20	5	75	2230
5	30	5	100	2750
6	15	6	50	1660
6	24	6	75	2230
6	30	6	100	2750
8	24	8	60	2750
8	25	8	75	3555
8	45	8	100	4345
10	25	10	75	4705
10	50	10	100	6410
12	30	12	75	6725
12	50	12	100	8730
16	45	16	100	14595
20	45	20	100	25760



HRC65 (4F)  
CARBIDE SQUARE ENDMILL



HRC55 (4F)  
CARBIDE LONG NECK ENDMILL

### SOLID CARBIDE LONG NECK ENDMILL HRC55 (4 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	NECK LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
0.5	1	8	4	50	1485
0.8	1.6	10	4	50	1485
1	3	12	4	50	970
1	3	16	4	50	970
1	3	20	4	50	970
1.5	4.5	12	4	50	970
1.5	4.5	16	4	50	970
1.5	4.5	20	4	50	970
2	6	12	4	50	970
2	6	16	4	50	970
2	6	20	4	50	970
2.5	7.5	12	4	50	970
2.5	7.5	16	4	50	970
2.5	7.5	20	4	50	970
3	9	12	4	50	970
3	9	16	4	50	970
3	9	20	4	50	970

CUTTING DIAMETER BELOW 1 MM COMES IN 2 FLUTE.



HRC55 (2F)  
CARBIDE KEY WAY ENDMILL

### SOLID CARBIDE KEY WAY ENDMILL HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	510
3	9	3	50	510

# CUTTING TOOLS

## SOLID CARBIDE ALUMINIUM ENDMILL HRC55 (3 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	3	4	50	510
1.5	4.5	4	50	510
2	6	4	50	510
2.5	8	4	50	510
3	9	3	50	510
4	12	4	50	510
5	15	5	50	1025
6	18	6	50	1025
8	24	8	60	2070
10	30	10	75	3910
12	35	12	75	5580
16	45	16	100	13570



HRC55 (3F)  
CARBIDE ALUMINIUM ENDMILL

## SOLID CARBIDE SPOT DRILL (90 DEG) HRC55 (2 FLUTE)

CUTTING DIAMETER	DEGREE	SHANK DIAMETER	TOTAL LENGTH	PRICE
4	90	4	50	635
6	90	6	50	1225
8	90	8	60	2385
10	90	10	75	4315
12	90	12	75	6035



HRC55 (2F)  
CARBIDE SPOT DRILL (90°)

## SOLID CARBIDE BALLNOSE ENDMILL HRC45 (2 FLUTE)



HRC45 (2F)  
CARBIDE BALLNOSE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	2	4	50	535
1.5	3	4	50	535
2	4	4	50	535
2.5	5	4	50	535
3	6	3	50	535
3	6	3	75	830
3	6	3	100	1100
3.5	7	4	50	535
4	8	4	50	535
4	8	4	75	830
4	8	4	100	1100
5	10	5	50	1025
5	10	5	75	1625
5	10	5	100	2045
6	12	6	50	1025
6	12	6	75	1625
6	12	6	100	2045
8	16	8	60	1945
8	16	8	75	2555
8	16	8	100	3160
10	20	10	75	3260
10	20	10	100	4380
10	20	10	150	7545
12	24	12	75	4430
12	24	12	100	6470
12	24	12	150	10950
14	28	14	100	9245
14	28	14	150	13685
16	32	16	100	10430
16	32	16	150	16300
18	36	18	100	14110
18	36	18	150	22240
20	40	20	100	16550
20	40	20	150	24320

## SOLID CARBIDE BALLNOSE ENDMILL HRC55 (2 FLUTE)

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	2	4	50	635
1.5	3	4	50	635
2	4	4	50	635
2.5	5	4	50	635
3	6	3	50	635
3	6	3	75	970
3	6	3	100	1295
3.5	7	4	50	635
4	8	4	50	635
4	8	4	75	970
4	8	4	100	1295
5	10	5	50	1200
5	10	5	75	1915
5	10	5	100	2410
6	12	6	50	1200
6	12	6	75	1915
6	12	6	100	2410
8	16	8	60	2290
8	16	8	75	3005
8	16	8	100	3720
10	20	10	75	3835
10	20	10	100	5160
10	20	10	150	8870
12	24	12	75	5215
12	24	12	100	7615
12	24	12	150	12880
14	28	14	100	10880
14	28	14	150	16100
16	32	16	100	12270
16	32	16	150	19175
18	36	18	100	16600
18	36	18	150	26160
20	40	20	100	19465
20	40	20	150	28620



HRC55 (2F)  
CARBIDE BALLNOSE ENDMILL

## SOLID CARBIDE BALLNOSE ENDMILL HRC55 (4 FLUTE)



HRC55 (4F)  
CARBIDE BALLNOSE ENDMILL

CUTTING DIAMETER	FLUTE LENGTH	SHANK DIAMETER	TOTAL LENGTH	PRICE
1	2	4	50	775
1.5	3	4	50	775
2	4	4	50	775
2.5	5	4	50	775
3	6	3	50	775
3	6	3	75	1200
3	6	3	100	1430
3.5	7	4	50	775
4	8	4	50	775
4	8	4	75	1200
4	8	4	100	1430
5	10	5	50	1375
5	25	5	75	2180
5	30	5	100	2720
6	12	6	50	1375
6	25	6	75	2180
6	30	6	100	2720
8	16	8	60	2575
8	25	8	75	3440
8	35	8	100	4295
8	50	8	150	7300
10	20	10	75	4355
10	45	10	100	6010
10	70	10	150	10880
12	24	12	75	5720
12	45	12	100	8360
12	70	12	150	14020
14	45	14	100	11445
16	45	16	100	13510
18	45	18	100	19750
20	45	20	100	20760

# CUTTING TOOLS

## INDEXABLE ENDMILL

### BAP300R (AP11) / EMR5R (RP10)

CUTTING DIAMETER	SHANK DIAMETER	TOTAL LENGTH	NO. OF TEETH	PRICE
10	10	100	1T	800
12	12	120	1T	800
16	16	150	2T	915
16	16	200	2T	1140
20	20	150	2T	1255
20	20	200	2T	1370
20	20	250	2T	1940
20	20	300	2T	3300

### BAP400R (AP16) / EMR6R (RP12)

CUTTING DIAMETER	SHANK DIAMETER	TOTAL LENGTH	NO. OF TEETH	PRICE
25	25	150	2T	1430
25	25	200	2T	1595
25	25	250	2T	2350
25	25	300	2T	4020
32	32	200	3T	2050
32	32	250	3T	3690
32	32	300	3T	4350
40	32	200	3T	3940
40	32	250	3T	4900
40	32	300	3T	5040

## FACE MILL CUTTER

### BAP400R (AP16) / EMR6R (RP12)

CUTTING DIAMETER	BORE DIAMETER	NO. OF TEETH	PRICE
50	22	4T	1600
63	22	4T	1600
80	27	6T	3020
100	32	6T	4160
125	40	7T	7575
160	40	8T	11050



INDEXABLE ENDMILL  
APMT / RPMT



FACE MILL CUTTER  
APMT / RPMT

## HIGH PRECISION U-DRILL SPMG SERIES



SPMG  
U-DRILL

CUTTING DIAMETER	SHANK DIAMETER	2D PRICE	3D PRICE	4D PRICE
------------------	----------------	----------	----------	----------

### SPMG04

10	20	1750	1875	-
10.5	20	1840	1970	-
11	20	1925	2065	-
11.5	20	2015	2155	-
12	20	2100	2250	-

### SPMG05

12.5	20	2190	2345	-
13	20	2275	2440	3090
13.5	20	2365	2530	3205

### SPMG05

14	20	1750	1925	2275
14.5	20	1815	1995	2355
15	25	1875	2065	2440
15.5	25	1940	2130	2520
16	25	2000	2200	2600
16.5	25	2065	2270	2680

### SPMG06

17	25	2125	2340	2765
17.5	25	2190	2405	2845
18	25	2250	2475	2925
18.5	25	2315	2545	3005
19	25	2375	2615	3090
19.5	25	2440	2680	3170
20	25	2500	2750	3250
20.5	25	2565	2820	3330
21	25	2625	2890	3415
21.5	25	2690	2955	3495

### SPMG07

22	25	2750	3025	3575
22.5	25	2815	3095	3655
23	25	2875	3165	3740
23.5	25	2940	3230	3820
24	25	3000	3300	3900
24.5	25	3065	3370	3980
25	25	3125	3440	4065
25.5	32	3190	3505	4145
26	32	3250	3575	4225
26.5	32	3315	3645	4305
27	32	3375	3715	4390
27.5	32	3440	3780	4470

CONT...

## CUTTING TOOLS



## HIGH PRECISION U-DRILL

### SPMG SERIES

CUTTING DIAMETER	SHANK DIAMETER	2D PRICE	3D PRICE	4D PRICE
------------------	----------------	----------	----------	----------

**SPMG09**

28	32	3500	3850	4550
28.5	32	3565	3920	4630
29	32	3625	3990	4715
29.5	32	3690	4055	4795
30	32	3750	4125	4875
30.5	32	3815	4195	4955
31	32	3875	4265	5040
31.5	32	3940	4330	5120
32	32	4000	4400	5200
32.5	32	4065	4470	5280
33	32	4125	4540	5365
33.5	32	4190	4605	5445

**SPMG11**

34	32	4250	4675	5525
34.5	32	4315	4745	5605
35	32	4375	4815	5690
35.5	32	4440	4880	5770
36	32	4500	4950	5850
36.5	32	4565	5020	5930
37	32	4625	5090	6015
37.5	32	4690	5155	6095
38	32	4750	5225	6175
38.5	32	4815	5295	6255
39	32	4875	5365	6340
39.5	32	4940	5430	6420
40	32	5000	5500	6500

**SPMG14**

45	40	5625	6190	7315
50	40	6250	6875	8125

**SPMG07 (4 POCKETS)**

51	40	6375	7015	8290
----	----	------	------	------



**SPMG  
U-DRILL**



**CUTTING TOOLS**